

McLaren Print System Order

Order No: 59669 Reprint Previous Order No: 14616
 Order Date: 2021-01-14
 User: Stephanie Karram
 Phone: 342-4979

Ship Location: McLaren Flint- Ultrasound Attn:Stephanie Karram
 401 s ballenger hwy
 flint, mi 48532

Forms

Quantity: 500
 Paragon Dept No: 32010
 Dept Name: radiology
 Company Number: 60

Order Total Price: 19.25

Item Number: 17992
 Item Description: Biophysical_Profile_Worksheet
 Revision Date: 7/2017
 Print: 1 sided black and white
 Paper: 20# Gray Text
 Size: 8.5 x 11
 Fold:
 Finish: None
 Drill: None
 Misc Info:

McLaren Flint
 Department of Radiology
 Biophysical Profile Worksheet

Name: _____ Date: ___/___/___ G: ___ P: ___ A: ___

Indication for exam: _____

Severly: ___/10 Duration: _____

LMP: _____ per pt/per exam EDC: _____ per pt/per exam

Previous surgery: _____

Previous Exams/Dates: _____

Cervical Length: ___ cm

Placenta Position: ___ Grade: ___ Length from placenta tip to cx: ___ cm

Fetal Presentation: _____ Number: _____

AFI: _____ IXT: ___ bpm

BIOPHYSICAL PROFILE MEASUREMENTS (Radlock w/Brenner Chart)

Fetal Breathing _____ SDP _____ cm _____ w _____ d

Gross Body Movement _____ HC _____ cm _____ w _____ d

Fetal Tone _____ AC _____ cm _____ w _____ d

AFI _____ FL _____ cm _____ w _____ d

BPP _____/8

FL/AC: _____ FL/SDP: _____ HC/AC: _____ CI: _____

ASA: _____ weeks _____ days LMP: _____

EFW: _____ lb _____ g

Additional Comments: _____

 Sonographer: _____

Biophysical Profile Worksheet
 1792 Rev. 01/2017



690