

McLaren Print System Order

Order No: 6046
Order Date: 2014-09-24
User: lynn thomas
Phone: 810-487-3500

Ship Location: Flushing Community Medical Center
2487 N Elms Rd
Flushing, MI 48433

Forms
Quantity: 100
Paragon Dept No: 63600
Dept Name: Flushing
Company Number: 810

Order Total Price: 0.00

Form Number: M-1708-249
Form Description: Gynecology Pre-Operative Admission Orders
Revision Date: 5/14/2014
Print: 1 sided black and white
Paper: 20# White Text
Size: 8.5 x 11
Fold:
Finish:
Drill: None

McLaren Print
GYNCOLOGY
PRE-OPERATIVE ADMISSION ORDERS
PATIENT IDENTIFICATION
1. DETAILS INFORMED CONSENT FOR:
2. Follow Readiness Protocol for pre-operative evaluation and labs.
3. Apply Intermittent Pneumatic Compression Device (PIC)
4. Urine Pregnancy Test - (Contact Surgeon if pregnancy test is positive)
5. Serum Pregnancy Test - (Contact Surgeon if pregnancy test is positive)
6. MEDICATIONS: Admit as if not allergic
Preoperative Medications:
Enoxaparin (CIVICAN) 30mg
OR
Cefazolin (KEFZOL) 1 gm IVPB - Administer within 1 hour of surgery start time
OR
Enoxaparin (CIVICAN) 30mg
OR
Cefazolin (CIVICAN) 2 gm IVPB - Administer within 1 hour of surgery start time
OR
Cefazolin (KEFZOL) 2 gm IVPB - Administer within 1 hour of surgery start time
ONLY if life-threatening angioedema or anaphylaxis to cephalosporins or penicillins,
SEE SCIP COMPLIANT COMBINATION CHOICES BELOW:
Ondansetron (ZUSUNO) 800 mg IVPB - Administer within 1 hour of the surgery start time AND
Gentamicin 2 mg /kg IVPB - Administer within 1 hour of the surgery start time.
OR
Ondansetron (ZUSUNO) 800 mg IVPB - Administer within 1 hour of the surgery start time AND
Ciprofloxacin (CIPRO) 400mg IVPB - Administer within 1 hour of the surgery start time.
OR
Metoprolol (PLASOL) 500 mg IVPB - Administer within 1 hour of surgery start time AND
Gentamicin 2 mg /kg IVPB - Administer within 1 hour of the surgery start time.
OR
Metoprolol (PLASOL) 500 mg IVPB - Administer within 1 hour of surgery start time AND
Ciprofloxacin (CIPRO) 400mg IVPB - Administer within 1 hour of the surgery start time.
Pain Control:
Prepare for post op use of On-Q Pain Pump per QRS Protocol
I. Other: